

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	138743	(startup initializ\$7 boot\$4) same (computer machine system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 12:28
S2	73987	S1 same (application\$1 process\$2 sequence\$1 code instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:48
S3	1397	S2 same ((monitor\$4 evaluat\$4) near3 (application\$1 process\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:36
S4	1255	S3 same ((monitor\$4 determin\$4) near3 (application\$1 process\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:37
S5	3895	S2 same ((monitor\$4 determin\$4) near3 (application\$1 process\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:48
S6	195	S3 same ((analyz\$4 evaluat\$4) near3 (application\$1 process\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:49
S7	79	S5 same ((analyz\$4 evaluat\$4) near3 (application\$1 process\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:39
S8	3	S7 same ((remov\$4 delet\$4 ignor\$4) near3 (application\$1 process\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:49

S9	82037	S1 same (application\$1 process\$2 sequence\$1 code instruction\$1 program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:48
S10	5253	S9 same ((monitor\$4 determin\$4) near3 (application\$1 process\$2 program\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:48
S11	107	S10 same ((analyz\$4 evaluat\$4) near3 (application\$1 process\$2 program\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:49
S12	4	S11 same ((remov\$4 delet\$4 ignor\$4) near3 (application\$1 process\$2 program\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:10
S13	4	("5548304" or "5995102" or "6118449" or "6148387" or "6324546" or "6405309").ccls. or ("20010047472" or "20020069354")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:12
S14	4	"5548304".ccls. or "5995102".ccls. or "6118449".ccls. or "6148387".ccls. or "6324546".ccls. or "6405309".ccls. or ("20010047472" or "20020069354")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:13
S15	15	("5548304" or "5995102" or "6118449" or "6148387" or "6324546" or "6405309").pn. or ("20010047472" or "20020069354")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:28
S16	5	launch near2 startup near2 application\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:06

S17	75383	extraneous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:06
S18	259	S17 near (application\$1 program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:09
S19	16	S18 with (remov\$4 delet\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:10
S20	3	S18 with (analyz\$4 compar\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:09
S21	516	S17 near (application\$1 program\$1 process\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:09
S22	43	S21 with (remov\$4 delet\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:12
S23	1135	startup near2 sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:12
S24	62	S23 with (startup near2 (application\$1 program\$1 process\$2 code instruction\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 11:28

S25	4	S24 with (remov\$4 delet\$4 omit\$4 discard\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:14
S26	584819	(monitor\$4 observ\$4 determin\$4) near5 (application\$1 program\$1 process\$2 intruction\$1 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 11:30
S27	21843	S26 same ((analyz\$4 evaluat\$4) near5 (application\$1 program\$1 process\$2 intruction\$1 code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 11:31
S28	375	S27 same ((remov\$4 delet\$4 omit\$4 discard\$4) near5 (application\$1 program\$1 process\$2 intruction\$1 code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 12:07
S29	2	S28 same S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 11:33
S30	3	S28 same S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 11:33
S31	9828	background with computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 12:07
S32	847	S31 with application\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 12:09

S33	28	S32 same remov\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 12:11
S34	82	S32 same monitor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 12:12
S35	1	S34 same analyz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 12:12
S36	164465	operating adj system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:28
S37	9176	S36 with (boot\$4 initializ\$4 startup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:30
S38	393	S37 with sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:31
S39	46	S38 with application\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:49
S40	116	monitor\$4 near5 ((boot\$4 startup initializ\$7) adj (application\$1 code instruction\$1 software))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:51

S41	19	analyz\$4 near5 ((boot\$4 startup initializ\$7) adj (application\$1 code instruction\$1 software))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:52
S42	98	(remov\$4 delet\$4) near5 ((boot\$4 startup initializ\$7) adj (application\$1 code instruction\$1 software))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:55
S43	1	S40 same S41 same S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:52
S44	1	S40 same S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:53
S45	1	S40 same S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:53
S46	7	S42 same S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:07
S47	462	extraneous near3 application\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:12
S48	4	S47 same (operating adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:10

S49	72	S47 same system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:11
S50	16	S49 same remov\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:11
S51	0	(remov\$4 delet\$4) near 3extraneous near3 application\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:12
S52	23	(remov\$4 delet\$4) near3 extraneous near3 application\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:15
S53	484	(remov\$4 delet\$4) near3 (extraneous unneeded needless additional extra immaterial impertinent inessential irrelevant needless nonessential peripheral superfluous supplementary unessential unnecessary) near3 application\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:22
S54	16	S53 same (operating adj2 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:19
S55	262	(remov\$4 near5 (unnecessary unneeded nonessential irrelevant) near5 (application\$1 software routine\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 09:12
S56	0	S55 same (during near5 (startup boot\$4 initializ\$7))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 08:54

S57	44678	(during near5 (startup boot\$4 initializ\$7))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 08:54
S58	7	S55 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 09:12
S59	0	S55 same S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 09:12
S60	139	(remov\$4 near3 (unnecessary unneeded nonessential irrelevant) near3 (application\$1 software routine\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 10:22
S61	2	"6173246".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 10:24
S62	2	"20030154284"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 10:26
S63	2	"6085268".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 10:26
S64	2	"20040225746"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 10:36



S65	1386	monitor\$4 near3 plurality near3 (application\$1 program\$1 routine\$1 process\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 10:39
S66	568	analyz\$4 near3 plurality near3 (application\$1 program\$1 routine\$1 process\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 10:51
S67	5	S65 same (analyz\$4 near3 plurality near3 (application\$1 program\$1 routine\$1 process\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 10:39
S68	1222	(remov\$4 delet\$4 extract\$4) near3 plurality near3 (application\$1 program\$1 routine\$1 process\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 11:05
S69	4	S66 same S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 10:41
S70	4316	(analyz\$4 determin\$4 evaluat\$4 inspect\$4) near3 plurality near3 (application\$1 program\$1 routine\$1 process\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 10:52
S71	27	S68 same S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 10:52
S72	340	S68 same (computer system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 11:06

S73	255	S68 with (computer system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 11:07
S74	11	S72 same (control\$4 near5 (process sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 11:57
S75	57	S72 same control\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 11:58
S76	90638	(automatic\$5) near4 (disabl\$4 eliminat\$4 delet\$4 remov\$4 extract\$4) spyware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 09:15
S77	0	(automatic\$5) near4 (disabl\$4 eliminat\$4 delet\$4 remov\$4 extract\$4) with spyware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 09:15
S78	3	(automatic\$5) near4 (disabl\$4 eliminat\$4 delet\$4 remov\$4 extract\$4) same spyware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 09:16
S79	90567	(automatic\$5) near4 (disabl\$4 eliminat\$4 delet\$4 remov\$4 extract\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 09:42
S80	3	S79 same spyware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 09:24

S81	12	S79 with ((unnecessary undesir\$5 unneeded needless extraneous nonessential irrelevant) near4 (application\$1 software program\$1 routine\$1 sequence\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 09:43
S82	2	S81 same (startup boot\$4 power-on initializ\$7 launch\$4 (power adj on))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 09:45
S83	7564632	(disabl\$4 eliminat\$4 delet\$4 remov\$4 extract\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 09:42
S84	2577	S83 with ((unnecessary undesir\$5 unneeded needless extraneous nonessential irrelevant) near4 (application\$1 software program\$1 routine\$1 sequence\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 13:33
S85	7	S84 same (startup boot\$4 power-on initializ\$7 launch\$4 (power adj on))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 09:48
S86	88	S84 same (automatic\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 13:35
S87	7564632	(disabl\$4 eliminat\$4 delet\$4 remov\$4 extract\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 13:33
S88	708	S87 with ((unnecessary undesir\$5 unneeded needless extraneous nonessential irrelevant) near4 (characteristic aspect))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 13:38

S89	28	S88 same (automatic\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 13:35
S90	253	((unnecessary undesir\$5 unneeded needless extraneous nonessential irrelevant) near4 (characteristic aspect) near4 (application\$1 software program\$1 routine\$1 sequence\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 13:39
S91	1363339	terminat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 12:29
S92	109021	S91 with (time threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 12:29
S93	1	S92 same (crash adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 12:30
S94	11957	S92 same (rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 12:30
S95	1227	S94 same characteristic\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 12:30
S96	250	S95 same (remov\$4 delet\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 12:31

S97	5	S96 same computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 12:31
-----	---	-------------------	---	----	-----	------------------